



Dongguan Ximaisi Electric Appliance Co.,Ltd  
东莞市西麦斯电器有限公司

- 📍 Add: No. 7-4, Jinjie Road, Humen Town, Dongguan, Guangdong, China
- ☎ Tel: +86 13265320092
- 🌐 Shop: <https://chefmaxequipment.com>
- 🌐 One stop solution: <https://chefmaxpro.com>
- ✉ Email: [sales@chefmaxequipment.com](mailto:sales@chefmaxequipment.com)



Chefmax  
Alibaba shops



Chefmax  
3D Showroom



Chefmax  
Website

 OEM &ODM

 Kitchen Solution

 R&D Customization

Dongguan Ximaisi Electric Appliance Co.,Ltd  
东莞市西麦斯电器有限公司



# LOVE your kitchen Choose Chefmax

中国智能厨房设备的领导者

Found in 1995

Automatic Intelligent Kitchen Appliances

One-stop Kitchen Solution

Build Better Kitchen Worldwide

# Contents

## 产品目录

### Enterprise section

Company profile .....	01
Honor and Team .....	03

### Enterprise section

Cooking machine .....	05
Induction cooker .....	15
Professional Steamer .....	25
Dishwasher .....	27
Gas stoves .....	32
Rapid Microwave Oven .....	46
Commercial ovens .....	47
Fast food equipment .....	48
Multifunctional Cutting Machine .....	53
Disinfection cabinet .....	55
Refrigeration equipment .....	59

## Company Profile

### 企业简介

Founded in 1995, Chefmax is located in Dongguan City, Guangdong Province, covering an area of 35,000 m<sup>2</sup> with 16 production lines, able to produce 15000set machines per month.


Our present products cover induction cooker, automatic smart cooker, fridge, ovens, gas stoves, fryer, dishwashers, etc. 30+ certifications for products: CE, NSF, ETL, ISO9001, SAI, CSA, etc.

Chefmax aim is to help caterers improving their efficiency and quality on catering food & beverage to the rapid growing market.



## Chefmax Development

### 发展历程



# Honor and Team

## 荣誉与团队

Certificates 荣获证书 (CE / ETL / NSF / CSA / ISO9001)



## Team 团队风采



## Exhibition 展会





## Intelligent Cooking Machines

### 智能炒菜机系列

## Intelligent Cooking Machines **Series**

### 智能炒菜机系列

#### Building the Kitchen for Tomorrow

Primary gold-Enabling kitchens to maintain consistency and quality of the end product while driving down costs by reducing dependence on skilled manpower.

#### Cost reduction-Human resource costs wastage

Increased Revenue generation- Standardizing consistency and satisfaction improves. Increase consumption and ROI.



Hot selling counter top model


# Intelligent IOT

## 智能物联 在线掌控全局

The intelligent kitchen management system collects big data of equipment operation in real time, conducts comprehensive analysis and management of equipment energy consumption status, operating status, maintenance status and electronic recipe application status, and reduces operating losses caused by equipment failure.

All-round remote analysis and management eliminates the need for a huge management team to manage each store, effectively saving operating costs.

智能后厨管理系统实时采集设备运营大数据，对设备能耗状态，运行状态，维护状态及电子菜谱应用状态进行全方位的分析和管理，减免因设备故障而造成的运营损失。全方位远程分析与管理，不再需要庞大的管理团队来管理每一个门店，有效节约运营成本。



# App Controls Everything


## 随时随地一手掌握 三大APP 开启智能物联新时代

Standardized recipes realize overall intelligent control, automatic temperature and time control, and simple operation can cook delicious dishes from the five-star chef skills.

Mobile phone editing recipes, one-key cooking, simple operation, stable output of dishes, saving money and worry. One-click management of all equipment in the store, easy maintenance of daily routine operations, early grasp of equipment operation information, and protection of terminal operation.

标准化菜谱实现整体的智能操控，全自动温度及时间控制，简单操作就可以烹饪出五星厨师书平的美味佳肴。手机编辑菜谱，一键烹饪，操作简单，菜品品质输出稳定省钱即省心。

一键管理门店所有的设备，轻松维护每日常规运营，提早掌握设备运行信息，为终端运行保驾护。



## Advantages of Automatic Cooking Machines:

### 我们的核心竞争力:智能科技



#### Intelligent recipes

##### 智能菜谱

Standardization of dishes: Standardized recipes realize overall intelligent control, automatic temperature and time control, and simple operations can cook delicious dishes with five-star chef level.



#### Kitchen management

##### 后厨管理

The intelligent back kitchen management system collects big data of equipment operation in real time, conducts a full range of real-time analysis and management of equipment energy consumption status, operating status, maintenance status and electronic recipe application status, and reduces operating losses caused by equipment failure. The dedicated recipe



#### Intelligent control

##### 智能控制

Intelligent automatic temperature control system, using mathematical algorithms to realize dynamic temperature control, with an accuracy of  $\pm 1^{\circ}\text{C}$ ; automatic feeding system, automatic feeding of liquid materials in the eighth middle school; automatic cleaning of the same body, liberating kitchen labor; full text and voice prompts to ensure recipes the correct operation.



#### Structure

##### 框架结构

Sturdy frame structure and full SUS304 stainless steel shell, beautiful and durable, smooth operation, low noise as low as 50 decibels; IPX4 waterproof level, perfect for high temperature and heat environment such as kitchen.



#### Electromagnetic efficiency

##### 电磁效率

The alternating magnetic field is used to generate small eddy currents in the metal body, so that the pot itself quickly heats up on its own, avoiding indirect energy waste, fast heating speed, less heat loss, thermal efficiency up to 90% or more, and fuel gas increase by more than 30%. The power margin is sufficient, and the heating is fast during the period, which perfectly realizes the stir-frying function, retains the gas of the dish, and ensures the taste of the food.



#### High-quality movement

##### 高质机芯

The self-designed highly reliable movement is adopted. All electronic components adopt domestic first-line and imported guarantees. In the temperature range of  $-30^{\circ}\text{C}$  to  $50^{\circ}\text{C}$ , stable output of sufficient power can be achieved for a long time. After multiple safety and reliability tests, it is guaranteed high-quality and stable operation of equipment.



#### Security

##### 安全防护

Multiple safety protection equipment, central system control to ensure safe and stable operation

# Intelligent Automatic Cooker

## Intelligent Automatic Cooker

### 智能商用炒菜机



**Desktop 300**  
( Manual/Electric Titling )

Model: CM05-DL-TGS30  
Size: 630\*500\*550MM  
Voltage: 220V/50HZ  
Power: 5KW  
CY: 4L/6L  
Pot: φ300MM



**Desktop 360**  
( Manual/Electric Titling )

Model: CM05DL-TGQ40  
Size: 690\*560\*710MM  
Voltage: 220V/50HZ  
Power: 5KW  
CY: 12L  
Pot: φ360MM



**Desktop 300**  
( Touch Screen+100Menus )

Model: CM05-DL-TGC30  
Size: 580\*500\*550MM  
Voltage: 220V/50HZ  
Power: 5KW  
CY: 4L/6L  
Pot: φ300MM



**Desktop 360**  
( Touch Screen +100Menus )

Model: CM05-DL-TGC36  
Size: 640\*560\*710MM  
Voltage: 220V/50HZ  
Power: 5KW  
CY: 12L  
Pot: φ360MM



**Desktop 300**  
( Touch Screen+Autospray seasonings )

Model: CM05DL-TGQ30  
Size: 700\*700\*700MM  
Voltage: 220V/50HZ  
Power: 5KW  
CY: 5L  
Pot: φ300MM



**Desktop 400**  
( Touch Screen+Autospray seasonings )

Model: CM05DL-TGQ40  
Size: 800\*800\*800MM  
Voltage: 380V/50HZ  
Power: 12KW  
CY: 12L  
Pot: φ400MM



**One-side Standing 400**  
( Touch Screen+Autospray seasonings )

Model: CM05-DL-GQ40  
Size: 700\*900\*1050MM  
Voltage: 380V/50HZ  
Power: 12KW  
CY: 12L  
Pot: φ400MM



**One-side Standing 600**  
( Touch Screen+Autospray seasonings )

Model: CM05DL-GQ60  
Size: 1000\*1150\*1250MM  
Voltage: 380V/50HZ  
Power: 20KW  
CY: 40L  
Pot: φ600MM

**Automatic Mixer Cooking Machine**  
( Touch Screen+Autospray seasonings )

Model: CM05DL-XC80  
Size: 1650\*1300\*1600MM  
Voltage: 380V /50HZ  
Power: 20KW  
CY: 133-200L  
Pot: φ800MM



**Automatic Mixer Cooking Machine**  
( Touch Screen+Autospray seasonings )

Model: CM05DL-XC100  
Size: 1810\*1450\*1850MM  
Voltage: 380V /50HZ  
Power: 30KW  
CY: 260-300L  
Pot: φ1000MM



# Intelligent Automatic Cooker

智能商用炒菜机



## Fully Automatic Cooker

( Autospraying seasonings and autoputting ingredients )

Model: CM05DL-BQ50T  
Size: 1000\*850\*800/1400MM  
Voltage: 380V/ 50HZ  
Power: 8-15KW  
CY: 16-30L  
Pot: φ500MM



## Fully Automatic Cooker

( Touch screen and autospraying seasonings and autoputting ingredients )

Model: CM05DL-TGQ30T  
Size: 750\*700\*800MM  
Voltage: 380V /50HZ  
Power: 12KW  
CY: 4-6L  
Pot: φ400MM



## Desktop Planerary Mixer

( 400mm rice cooker )

Model: CM05-DL-TZS40  
Size: 630\*500\*550MM  
Voltage: 220V/50HZ  
Power: 5KW  
CY: 4L/6L  
Pot: φ400/500MM



# Intelligent Automatic Cooker

智能商用炒菜机



## Automatic Mixer Cooking Machine

( Touch Screen+Autospray seasonings )

Model: CM05DL-XC80  
Size: 1650\*1300\*1600MM  
Voltage: 380V /50HZ  
Power: 20KW  
CY: 133-200L  
Pot: φ800MM



## Automatic Mixer Cooking Machine

( Touch Screen+Autospray seasonings )

Model: CM05DL-XC100  
Size: 1810\*1450\*1850MM  
Voltage: 380V /50HZ  
Power: 30KW  
CY: 260-300L  
Pot: φ1000MM



## Electric Fully Automatic Cooker

Model: CM14BWGT-A-L20-01AM  
Size: 1250\*1250\*1200MM  
Voltage: 220V/50HZ  
Power: 20KW  
CY: 40L  
Pot: φ600MM




专业电磁炉系列

Series

# Professional induction cooker

German IGBT Pour Copper Coil



## Professional induction cooker

电磁炉系列 —— 3500W



### 3500W Built-in Concave Induction Cooker

Model: CM03HJQY35A  
Size: 360\*360\*150MM  
Voltage: 220V  
Power: 3.5KW  
CY: 36CM Pot



### 3500W Built-in Flat Induction Cooker

Model: CM03HJQF35A  
Size: 360\*360\*150MM  
Voltage: 220V  
Power: 3.5KW  
CY: 36CM Pot



### 3500W Countertop Touch Knob Induction Cooktop

Model: CM13THDGWS  
Size: 355\*445\*105MM  
Voltage: 220V  
Power: 3.5KW  
CY: 36CM Pot



### Knob Concave And Flat Combination Cooker

Model: CM03HJTY50X2E  
Size: 810\*505\*205MM  
Voltage: 220V  
Power: 5KW\*2  
CY: 36CM Pot\*2

# Professional induction cooker

电磁炉系列 —— 5000W



## 5000W Commercial Concave Induction Cooker

Model: CMCRC-TP300  
Size: 400\*470\*195MM  
Voltage: 220V  
Power: 5KW  
CY: 40CM Pot



## 5000W Commercial Flat Induction Cooker

Model: CMCRC-TP300  
Size: 400\*470\*195MM  
Voltage: 220V  
Power: 5KW  
CY: 40CM Pot



## 5000W Built-in Concave Induction Cooker

Model: CM03HJQY50A  
Size: 398\*398\*185MM  
Voltage: 220V  
Power: 5KW  
CY: 40CM Pot



## 5000W Built-in Flat Induction Cooker

Model: CM03HJQF50A  
Size: 398\*398\*175MM  
Voltage: 220V  
Power: 5KW  
CY: 40CM Pot

# Professional induction cooker

电磁炉系列 —— 5000W



## 5000W Touch Knob Induction Cooker

Model: CM13TWGDHAT  
Size: 405\*522\*190MM  
Voltage: 220V  
Power: 5KW  
CY: 40CM Pot



## 5000W Touch Knob Concave Induction Cooker

Model: CM13TWSDAT  
Size: 405\*522\*200MM  
Voltage: 220V  
Power: 5KW  
CY: 40CM Pot




## 5000W 2-Burner Induction Combination Cooker

Model: CM03HJTY50X2E  
Size: 810\*505\*205MM  
Voltage: 220V  
Power: 5KW \* 2  
CY: 40CM Pot \* 2



# Professional induction cooker

电磁炉系列 —— 煲仔炉



# Professional induction cooker

电磁炉系列 —— 煲仔炉



## Vertical 4-Burner Cooking Stove With Cabinet

Model: CM10KRC-BZ300  
Size: 800\*800\*(800+100)MM  
Voltage: 380V  
Power: 3.5KW\*4



## Vertical 6-Burner Cooking Stove With Cabinet

Model: CM10KRC-BZ300  
Size: 1200\*800\*(800+100)MM  
Voltage: 380V  
Power: 3.5KW\*6



## Vertical 8-Burner Cooking Stove With Cabinet

Model: CM10KRC-BZ300  
Size: 1600\*800\*(800+100)MM  
Voltage: 380V  
Power: 3.5KW\*8



# Professional induction cooker

电磁炉系列 —— 煲仔炉



## Detachable 4-Burner Cooking Stove

Model: CM10KCX  
Size: 800\*800\*(800+50)MM  
Voltage: 380V  
Power: 3.5KW\*4



## Detachable 6-Burner Cooking Stove

Model: CM10KCX  
Size: 1200\*800\*(800+50)MM  
Voltage: 380V  
Power: 3.5KW\*6



# Professional induction cooker

电磁炉系列 —— 炒炉



## One Burner Stir Fry Cooker (small capacity)

Model: CM10RC-HD400-8S  
Size: 800\*800\*(800+400)MM  
Voltage: 380V  
Power: 8KW



## Double Burners Stir Fry Cooker (small capacity)

Model: CM10RC-HD302-5  
Size: 1500\*800\*(800+300)MM  
Voltage: 380V  
Power: 5KW\*2



## One Burner Stir Fry Cooker (large capacity)

Model: CM10RC-D800  
Size: 1000\*1100\*(800+400)MM  
Voltage: 380V  
Power: 20KW  
CY: 61L



## Double Burners Stir Fry Cooker (large capacity)

Model: CM10RC-D802  
Size: 1900\*1100\*(800+400)MM  
Voltage: 380V  
Power: 20KW\*2  
CY: 61L\*2



# Professional induction cooker

电磁炉系列 —— 炒炉



## 8KW Detachable Induction Cooker

Model: CM10SHXYA6  
Size: 1000\*800\*(800+300)MM  
Voltage: 380V  
Power: 8KW



## 12KW Detachable Induction Cooker

Model: CM10SJAWQY1  
Size: 1500\*800\*(800+300)MM  
Voltage: 380V  
Power: 12KW\*2



## Vertical Induction Cooker With Back

Model: CM10RC-BT430-8  
Size: 650\*750\*(800+300)MM  
Voltage: 380V  
Power: 8KW



# Professional induction cooker

电磁炉系列 —— Induction Cooker



## Induction Cooker

Model: CMDB-H80B-HJ208-A10S  
Size: 470\*590\*390MM  
Heating Size: 340\*340MM  
Five Gears Power  
Pot: 500-550MM  
Weight: 23kg  
Power: 6KW / 8KW / 10KW 380V



## Induction Cooker

Model: CMDB-H80B-HJ208-P10S  
Size: 470\*590\*390MM  
Heating Size: 340\*340MM  
Five Gears Power  
Pot: 400-500MM  
Weight: 23kg  
Power: 6KW / 8KW / 10KW 380V



## Big Soup Induction Cooker

Model: CMRC-BT700  
Size: 900\*1000\*800+400MM  
Pot Size: 700 / 800 / 900 / 1000MM  
Able to be customized.  
Power: 15KW / 20KW / 25KW / 30KW 380V




# Professional Steamer

蒸饭柜 (Gas / Electric)



# Professional Steamer

电热 / 燃气蒸柜 (Electric / Gas Steamer)



## (Single Door)Luxury Electric&Gas Steam Cabinet

Model: CM09DMD-PH-12

Size: 710\*645\*1590MM

Voltage: 220/380V

Power: 9/12KW

Steamed food: 50-60KG



## (Double Doors)Luxury Electric&Gas Steam Cabinet

Model: CM09DMD-PH-24

Size: 1415\*645\*1590MM

Voltage: 380V

Power: 24KW

Steamed food: 100-120KG



# Dishwasher

Series

## 商用洗碗机系列



Mg<sup>2+</sup>

Mg<sup>2+</sup>

颗粒物

Ca<sup>2+</sup>

Na<sup>+</sup>

Na<sup>+</sup>

# Commercial Dishwasher

## 洗碗机系列



Flight Type Dishwasher

### Small Conveyor Dishwasher

Model: CM15MAX-160D  
Size: 1600\*800\*1400MM  
Voltage: 380V  
Power: 25.9KW  
Water consumption: 0.5T/H (0.5 cubic meters)  
Cleaning capacity: 1200 dishes/hour\*1



Flight Type Dishwasher

### Horizontal Dishwasher

Model: CM15MAX-300D  
Size: 3000\*800\*1400MM  
Voltage: 380V  
Power: 33.65KW  
Water consumption: 0.5T/H (0.5 cubic meters)  
Cleaning capacity: 3600 dishes/hour\*1



Flight Type Dishwasher-Drying Function

### Conveyor Dishwasher With Drying

Model: CM15C1Z1P2H1  
Size: 5250\*888\*1996MM  
Voltage: 380V  
Power: 48KW  
Water consumption: 300L/H  
Cleaning capacity: 3200 pieces



# Commercial Dishwasher

## 洗碗机系列



### Hood Type Dishwasher

Model: CM06PDX-1001C  
Size: 638\*750\*1545MM  
Vol: 220/380V  
Power: 5/7/9/12KW  
Maximum washing capacity: 60 baskets/H  
Cleaning time: 50~120 seconds/basket



### Large Hood Type Dishwasher

Model: CM06PDX-1001JD  
Size: 780\*880\*1435MM  
Voltage: 380V  
Power: 12KW/15KW  
Water consumption: 6L/Min  
Cleaning capacity: 60 baskets/H (30% more efficiency)



### Undercounter Dishwasher

Model: CM06PDX-1003  
Size: 600\*600\*870MM  
Voltage: 220V  
Power: 2.75KW  
Water consumption: 2L/Min  
Cleaning capacity: 30-40 baskets/H



# Commercial Dishwasher

## 洗碗机系列 —— 超声波池



### Ultrasonic Dishwashers

Model: CM15HY-XWJ1200-004  
Size: 1200\*800\*800/150MM  
Washing amount (reference amount): 2000/H  
Power: 6KW  
Heating pipe: 3KW

Model: CM15HY-XWJ1500-005  
Size: 1500\*800\*800/150MM  
Washing amount (reference amount): 2500/H  
Power: 6KW  
Heating pipe: 3KW

Model: CM15HY-XWJ1800-006  
Size: 1800\*800\*800/150MM  
Washing amount (reference amount): 3000/H  
Power: 9KW  
Heating pipe: 3KW\*2

Model: CM15HY-XWJ2000-006  
Size: 2000\*800\*800/150MM  
Washing amount (reference amount): 3500/H  
Power: 9KW  
Heating pipe: 3KW\*2

### Ultrasonic Dishwashers

Model: CM15HY-XWJ600-001  
Size: 600\*600\*800/150MM  
Washing amount (reference amount): 1000/H  
Power: 4.5KW  
Heating pipe: 2KW

Model: CM15HY-XWJ800-002  
Size: 800\*800\*800/150MM  
Washing amount (reference amount): 1200/H  
Power: 4.5KW  
Heating pipe: 3KW

Model: CM15HY-XWJ1000-003  
Size: 1000\*800\*800/150MM  
Washing amount (reference amount): 1500/H  
Power: 6KW  
Heating pipe: 3KW



R&D,ODM&OEM, Whole Kitchen Solution

研发、定制、生产、一站式厨房采购

# Commercial Dishwasher

洗碗机系列 —— 超声波池



## (Double pool) Ultrasonic Pool+Cleaning Pool

Model: CM15HY-XWJ1800-B06

Size: 1800\*800\*800/150MM

Washing amount (reference amount): 1800/H

Power: 9KW

Heating pipe: 3KW\*2

## (Double pool) Ultrasonic Pool+Cleaning Pool

Model: CM15HY-XWJ2000-B07

Size: 2000\*800\*800/150MM

Washing amount (reference amount): 2000/H

Power: 9KW

Heating pipe: 3KW\*2



# Gas stoves

Series

商用燃气灶系列



# Commercial gas stoves

燃气灶系列



## 4-Burner Gas Range

Model: CM12HFSO-24  
Size: 610\*827\*1532MM  
N.W. : 129KG  
G.W. : 161.5KG  
NG: 3.946 / LPG: 1.699  
Total Power(BTU): 150,000  
Thermostat from 250°F-550°F



## 6-Burner Gas Range

Model: CM12HFSO-36  
Size: 915\*827\*1532MM  
N.W. : 170KG  
G.W. : 204KG  
NG: 5.524 / LPG: 2.379  
Total Power(BTU): 210,000  
Thermostat from 250°F-550°F



## 10-Burner Gas Range

Model: CM12HFSO-60  
Size: 1524\*827\*1532MM  
N.W. : 290.5KG  
G.W. : 348KG  
NG: 9.469 / LPG: 4.079  
Total Power(BTU): 360,000  
Thermostat from 250°F-550°F



# Commercial gas stoves

燃气灶系列



## Gas Range/Griddle Combos

Model: CM12HFSO-36-G12  
Size: 915\*827\*1532MM  
N.W. : 187.5KG  
G.W. : 225KG  
NG: 4.472 / LPG: 1.926  
Total Power(BTU): 170,000  
Thermostat from 250°F-550°F



## Gas Range/Griddle Combos

Model: CM12HFSO-36-G24  
Size: 915\*827\*1532MM  
N.W. : 195KG  
G.W. : 231KG  
NG: 3.42 / LPG: 1.473  
Total Power(BTU): 130,000  
Thermostat from 250°F-550°F



## Gas Range/Griddle Combos

Model: CM12HFSO-60-G24  
Size: 1524\*827\*1532MM  
N.W. : 312KG  
G.W. : 362KG  
NG: 7.365 / LPG: 3.172  
Total Power(BTU): 280,000  
Thermostat from 250°F-550°F



# Commercial gas stoves

燃气灶系列



## Gas Range/Griddle/ Salamander Combos

Model: CM12HFSO-60-GS24  
Size: 1524\*827\*1532MM  
N.W. : 331.5KG  
G.W. : 387KG  
NG: 7.26 / LPG: 3.127  
Total Power(BTU): 276,000  
Thermostat from 250°F-550°F



# Commercial gas stoves

燃气灶系列



## Gas Fryer

Model: CM12HFRF-90  
Size: 395\*765\*1162MM  
N.W. : 61KG  
G.W. : 73KG  
NG: 2.367 / LPG: 1.02  
Power(BTU): 30,000\*3

## Gas Fryer

Model: CM12HFRF-120  
Size: 395\*765\*1162MM  
N.W. : 66KG  
G.W. : 78KG  
NG: 3.156 / LPG: 1.36  
Power(BTU): 30,000\*4

## Gas Fryer

Model: CM12HFRF-150  
Size: 533\*765\*1162MM  
N.W. : 75KG  
G.W. : 93KG  
NG: 3.946 / LPG: 1.7  
Power(BTU): 30,000\*5



## Countertop 2-Burner Gas Stove

Model: CM12HWS-2  
Size: 308\*744\*344MM  
N.W. : 29.5KG  
G.W. : 43KG  
NG: 1.578 / LPG: 0.68  
Power(BTU): 30,000\*2



## Countertop 4-Burner Gas Stove

Model: CM12HWS-4  
Size: 613\*744\*344MM  
N.W. : 51KG  
G.W. : 70.5KG  
NG: 3.156 / LPG: 1.36  
Power(BTU): 30,000\*4



## Countertop 6-Burner Gas Stove

Model: CM12HWS-6  
Size: 915\*744\*344MM  
N.W. : 77KG  
G.W. : 100.5KG  
NG: 4.735 / LPG: 2.04  
Power(BTU): 30,000\*6

# Commercial gas stoves

燃气灶系列



## Gas Stock Pot

Model: CM12HS-1  
Size: 460\*550\*502MM  
N.W. : 44KG  
G.W. : 52KG  
NG: 1.999 / LPG: 1.315  
Power(BTU): /



## 2 Burners

Model: CM12HS-1D  
Size: 460\*1085\*549MM  
N.W. : /  
G.W. : /  
NG: 3.998 / LPG: 2.630  
Power(BTU): /



## Gas Stock Pot

Model: CM12HS-6  
Size: 903\*802\*365MM  
N.W. : 84KG  
G.W. : 102KG  
NG: 4.735 / LPG: 2.04  
Power(BTU): 30,000\*6



## Gas Stock Pot

Model: CM12HS-4  
Size: 603\*802\*365MM  
N.W. : 54.5KG  
G.W. : 69.5KG  
NG: 3.156 / LPG: 1.36  
Power(BTU): 30,000\*4



## Gas Stock Pot

Model: CM12HS-2  
Size: 303\*802\*365MM  
N.W. : 30KG  
G.W. : 45.5KG  
NG: 1.578 / LPG: 0.68  
Power(BTU): 30,000\*2

# Commercial gas stoves

燃气灶系列



## Gas Countertop Lava Rock Grill

Model: CM12HRC-14  
Size: 356\*774\*469MM  
N.W. : 58KG  
G.W. : 60KG  
NG: 1.052 / LPG: 0.453  
Power(BTU): 20,000\*2



## Gas Countertop Lava Rock Grill

Model: CM12HRC-24  
Size: 610\*774\*469MM  
N.W. : 90KG  
G.W. : 116KG  
NG: 2.104 / LPG: 0.906  
Power(BTU): 20,000\*4



## Gas Countertop Lava Rock Grill

Model: CM12HRC-36  
Size: 915\*774\*469MM  
N.W. : 138KG  
G.W. : 165KG  
NG: 3.156 / LPG: 1.36  
Power(BTU): 20,000\*6

## Gas Countertop Lava Rock Grill

Model: CM12HRC-48  
Size: 1223\*774\*469MM  
N.W. : 178KG  
G.W. : 208KG  
NG: 4.208 / LPG: 1.812  
Power(BTU): 20,000\*8



# Commercial gas stoves

燃气灶系列



## Gas Countertop Griddle

Model: CM12HERG-24  
 Size: 610\*789\*405MM  
 N.W. : /  
 G.W. : /  
 NG: 1.578 / LPG: 0.68  
 Power(BTU): 30,000\*2



## Gas Countertop Griddle

Model: CM12HERG-36  
 Size: 910\*789\*405MM  
 N.W. : /  
 G.W. : /  
 NG: 2.367 / LPG: 1.02  
 Power(BTU): 30,000\*3



## Gas Countertop Griddle

Model: CM12HRG-24  
 Size: 612\*836\*442MM  
 N.W. : 91KG  
 G.W. : 107KG  
 NG: 1.578 / LPG: 0.68  
 Power(BTU): 30,000\*2



## Gas Countertop Griddle

Model: CM12HRG-36  
 Size: 917\*836\*442MM  
 N.W. : 129KG  
 G.W. : 154KG  
 NG: 2.367 / LPG: 1.02  
 Power(BTU): 30,000\*3



## Gas Countertop Griddle

Model: CM12HRG-48  
 Size: 1222\*836\*442MM  
 N.W. : 169KG  
 G.W. : 204KG  
 NG: 3.156 / LPG: 1.36  
 Power(BTU): 30,000\*4

# Commercial gas stoves

燃气灶系列



## Gas Thermostatic Griddle

Model: CM12HERG-24T  
 Size: 610\*789\*405MM  
 N.W. : 90.5KG  
 G.W. : 110.5KG  
 NG: 1.578 / LPG: 0.68  
 Power(BTU): 30,000\*2



## Gas Thermostatic Griddle

Model: CM12HERG-36T  
 Size: 910\*789\*405MM  
 N.W. : 129.5KG  
 G.W. : 156KG  
 NG: 2.367 / LPG: 1.02  
 Power(BTU): 30,000\*3

## Gas Thermostatic Griddle

Model: CM12HERG-48T  
 Size: 1210\*789\*405MM  
 N.W. : 165KG  
 G.W. : 196KG  
 NG: 3.156 / LPG: 1.36  
 Power(BTU): 30,000\*4

## Gas Thermostatic Griddle

Model: CM12HERG-60T  
 Size: 1510\*789\*405MM  
 N.W. : 204.5KG  
 G.W. : 242.5KG  
 NG: 3.946 / LPG: 1.7  
 Power(BTU): 30,000\*5



## Gas Countertop Griddle

Model: CM12HERG-48  
 Size: 1210\*789\*405MM  
 N.W. : /  
 G.W. : /  
 NG: 3.156 / LPG: 1.36  
 Power(BTU): 30,000\*4

## Gas Countertop Griddle

Model: CM12HERG-60  
 Size: 1510\*789\*405MM  
 N.W. : /  
 G.W. : /  
 NG: 3.946 / LPG: 1.7  
 Power(BTU): 30,000\*5





### Gas Countertop Lava Rock Grill

Model: CM12HWRC-14  
 Size: 356\*768\*414MM  
 N.W. : /  
 G.W. : /  
 NG: 1.052 / LPG: 0.453  
 Power(BTU): 20,000\*2



### Gas Countertop Lava Rock Grill

Model: CM12HWRC-24  
 Size: 1223.2\*773.7\*414MM  
 N.W. : /  
 G.W. : /  
 NG: 2.104 / LPG: 0.906  
 Power(BTU): 20,000\*4



### Gas Countertop Lava Rock Grill

Model: CM12HWRC-36  
 Size: 914\*768\*414MM  
 N.W. : 124.5KG  
 G.W. : 150KG  
 NG: 3.156 / LPG: 1.36  
 Power(BTU): 20,000\*6



### Gas Countertop Lava Rock Grill

Model: CM12HWRC-48  
 Size: 1219\*768\*414MM  
 N.W. : 159.5KG  
 G.W. : 194KG  
 NG: 4.209 / LPG: 1.813  
 Power(BTU): 20,000\*8



### Gas Countertop Griddle

Model: CM12HLRG-400  
 Size: 456\*663\*405MM  
 N.W. : 44.5KG  
 G.W. : 59KG  
 NG: 0.789 / LPG: 0.34  
 Power(BTU): 30,000\*1



### Gas Countertop Griddle

Model: CM12HLRG-600  
 Size: 604\*663\*405MM  
 N.W. : 57KG  
 G.W. : 73KG  
 NG: 1.578 / LPG: 0.68  
 Power(BTU): 30,000\*2

# Commercial gas stoves

## 燃气灶系列



### Gas Countertop Griddle

Model: CM12HLRG-900  
 Size: 904\*663\*405MM  
 N.W. : 75KG  
 G.W. : 99KG  
 NG: 2.367 / LPG: 1.02  
 Power(BTU): 30,000\*3



### Gas Countertop Griddle

Model: CM12HLRG-1200  
 Size: 1204\*663\*405MM  
 N.W. : 126.5KG  
 G.W. : 155KG  
 NG: 3.156 / LPG: 1.36  
 Power(BTU): 30,000\*4



### Gas Countertop Lava Rock Grill

Model: CM12HLRC-400  
 Size: 404\*663\*405MM  
 N.W. : 31KG  
 G.W. : 44KG  
 NG: 0.789 / LPG: 0.34  
 Power(BTU): 30,000\*1



### Gas Countertop Lava Rock Grill

Model: CM12HLRC-600  
 Size: 604\*663\*405MM  
 N.W. : 43.5KG  
 G.W. : 59.5KG  
 NG: 1.578 / LPG: 0.68  
 Power(BTU): 30,000\*2



### Gas Countertop Lava Rock Grill

Model: CM12HLRC-900  
 Size: 904\*663\*405MM  
 N.W. : 65KG  
 G.W. : 86KG  
 NG: 2.367 / LPG: 1.02  
 Power(BTU): 30,000\*3



### Gas Countertop Lava Rock Grill

Model: CM12HLRC-1200  
 Size: 1204\*663\*405MM  
 N.W. : 90KG  
 G.W. : 116KG  
 NG: 3.156 / LPG: 1.36  
 Power(BTU): 30,000\*4

# Commercial gas stoves

燃气灶系列



## Gas Countertop Lava Rock Grill

Model: CM12HLRC-400      G.W. : 44KG  
 Size: 404\*663\*405MM      NG: 0.789 / LPG: 0.34  
 N.W. : 31KG                  Power(BTU): 30,000\*1



## Gas Countertop Lava Rock Grill

Model: CM12HLRC-400      G.W. : 44KG  
 Size: 404\*663\*405MM      NG: 0.789 / LPG: 0.34  
 N.W. : 31KG                  Power(BTU): 30,000\*1



## Gas Countertop Lava Rock Grill

Model: CM12HLRC-400      G.W. : 44KG  
 Size: 404\*663\*405MM      NG: 0.789 / LPG: 0.34  
 N.W. : 31KG                  Power(BTU): 30,000\*1



## Gas Countertop Lava Rock Grill

Model: CM12HLRC-400      G.W. : 44KG  
 Size: 404\*663\*405MM      NG: 0.789 / LPG: 0.34  
 N.W. : 31KG                  Power(BTU): 30,000\*1

# Commercial gas stoves

燃气灶系列



## Asia Gas One Stove

Model: CMP-1C1W-001  
 Size: 1050\*900\*1150mm  
 N.W. : ---



## Asia Gas Two Stoves

Model: CMP-2C1W-001  
 Size: 1700\*900\*1150mm  
 N.W. : ---



## Asia Gas One Big Stove

Model: CMP-1C-001  
 Size: 700\*750\*1000mm  
 N.W. : ---



## Gas Double Stock Pot Stove

Model: CMNW-2BSRL      Water Inlet: 1/2" (DN15)  
 Size: 1200\*845\*540mm      Drainage Pipe: 1" (DN25)  
 Burning Rating: 207000BTU      Gas Inlet: 3/4" (DN20)



# Street / Fast Food Series Equipment

快餐设备



## Rapid Microwave Oven

商业极速微波烤箱系列



### Rapid Oven

Model: CM02NT-PROSIT  
Size: 460\*675\*660MM  
Voltage: 220V/380V  
Power: 3.3KW



### Rapid Oven

Model: CM02NT-PROBT  
Size: 460\*725\*690MM  
Voltage: 220/380V  
Power: 5.2KW



### Rapid Oven

Model: CM02NT-PROBC  
Size: 460\*725\*690MM  
Voltage: 220V/380V  
Power: 5.2KW



# Commercial ovens

商用烤箱系列



## Electronic Button 4-layer / 5-layer / 10-layer Combi Oven

Model: CM02NC0423DW  
Size: 660\*657\*704MM  
Voltage: 380-415V/220-240V  
Power: 6.1KW

Model: CM02NC0523DW  
Size: 660\*657\*784MM  
Voltage: 380-415V/220-240V  
Power: 6.1KW

Model: CM02NC1011DW  
Size: 880\*876\*1152MM  
Voltage: 380-415V/220-240V  
Power: 18.3KW



## Touch Screen 4-layer / 5-layer / 10-layer Combi Oven

Model: CM02NC0423T  
Size: 660\*657\*704MM  
Voltage: 380-415V/220-240V  
Power: 6.1KW

Model: CM02NC0523T  
Size: 660\*657\*784MM  
Voltage: 380-415V/220-240V  
Power: 6.1KW

Model: CM02NC01011T  
Size: 880\*876\*1152MM  
Voltage: 380-415V/220-240V  
Power: 18.3KW



# Fast food equipment

小吃快餐系列



## One Plate Electric Dumpling Machine

Model: CM02PYJ-01  
Size: 285\*625\*438MM  
Voltage: 220V  
Power: 3KW

## Double Plates Electric Dumpling Machine

Model: CM02PYJ-02  
Size: 570\*625\*438MM  
Voltage: 220V  
Power: 6KW



## Intelligent Single Tank Deep Fryer

Model: CM02NTP184EF  
Size: 507\*888\*1156MM  
Voltage: 220V/380V  
Power: 7KW  
CY: 30L

## Intelligent Double Tanks Deep Fryer

Model: CM02NTP14ESF  
Size: 434\*888\*1156MM  
Voltage: 220V/380V  
Power: 7KW\*2  
CY: 13.5L\*2



## 11.1KW / 15KW Hot Air Circulation Grill

Model: CM02NCR-12  
Size: 880\*885\*1152MM  
Voltage: 380V  
Power: 11.1KW

Model: CM02NCR-12  
Size: 880\*885\*1152MM  
Voltage: 380V  
Power: 11.1KW



## Electric Pizza Oven

Model: CM02NTE-1418  
Size: 795\*472\*410MM  
Voltage: 220V  
Power: 3.5KW  
Max Temp: 280°C  
Time range: 1' 20"-8' 20"  
IP Rating: IPX3

# Fast food equipment

小吃快餐系列



## Desktop Deep Fryer

Model: CM02NTT8E  
Size: 351\*576\*421MM  
Voltage: 220V  
Power: 3.2KW  
CY: 8L



## 3-Basket Automatic Noodle Cooker

Model: CM04CL01  
Size: 320\*715\*1090MM  
Voltage: 220V/380V  
Power: 6KW

## 6-Basket Automatic Noodle Cooker

Model: CM04CL01  
Size: 640\*715\*1090MM  
Voltage: 220V/380V  
Power: 12KW



# Fast food equipment

小吃快餐系列



## Single Warming Cabinet

Model: CM02-ECONH0IDHF  
Size: 636\*805\*901MM  
Voltage: 220V  
Power: 1.1KW



## Double Warming Cabinet

Model: CM02-ECONH0IDUF  
Size: 636\*805\*1854MM  
Voltage: 220V  
Power: 2.2KW



# Fast food equipment

小吃快餐系列



## 4.4KW Intelligent Steam Cabinet

Model: CM02NST-2  
Size: 672\*650\*420MM  
Voltage: 220/380V  
Power: 4.4KW

## 6.4KW Intelligent Steam Cabinet

Model: CM02NST-4  
Size: 672\*650\*620MM  
Voltage: 380V  
Power: 6.4KW

# Commercial Teppanyaki

商用铁板烧系列



## Commercial Teppanyaki

Model: CM04CL02  
Size: 1200\*800\*800MM  
Voltage: 380V  
Power: 8KW

Model: CM04CL02  
Size: 1500\*800\*800MM  
Voltage: 380V  
Power: 8KW

Model: CM04CL02  
Size: 1800\*800\*800MM  
Voltage: 380V  
Power: 8KW

Model: CM04CL02  
Size: 2000\*800\*800MM  
Voltage: 380V  
Power: 8KW

Regular Customized Size





# Fast food equipment

小吃快餐系列



## Gas Pressure Fryer


Model: CMPFG-600  
Oil Capacity: 25L  
Working Pressure: 0.085kPa  
Power: 220V 650W  
Size: 500\*1040\*1180MM  
Weight: 165Kg



多功能切菜机系列

# Multifunctional Cutting Machine

Series



## Food processing machinery

食品加工系列 —— 切菜机



### Vegetable Cutting Machine

Model: CM13WNQCJ03  
Size: 1020\*700\*1380MM  
Voltage: 220V  
Power: 2.25KW  
Weight: 140KG



### Universal Cutting Machine

Model: CM13WNQCJ01  
Size: 1160\*530\*1000MM  
Voltage: 220V/380V  
Power: 1.8KW  
Weight: 135KG



### Peeling Machine

Model: DYTP-1800  
Size: 2860\*880\*1360MM  
Voltage: 380V  
Power: 4.55KW  
Weight: 580KG



# Disinfection cabinet Series

## 商用消毒柜系列



High temperature disinfection



Omnidirectional infrared



Quartz tube heat up evenly



# Disinfection: UV+Ozone

## 消毒柜系列



### One-Door Disinfection Cabinet

Model: CM08ZTPXG2  
Size: 585\*520\*1725MM  
Voltage: 220V  
Power: 0.9KW  
CY: 350L  
DT: W 70°C



### Two-Door Disinfection Cabinet

Model: CM08ZTPXG2  
Size: 1115\*520\*1725MM  
Voltage: 220V  
Power: 1.2KW  
CY: 680L  
DT: W 70°C



# Multifunctional disinfection cabinet

消毒柜系列



## 40L Small Disinfection Cabinet

Model: CM08ZTP-XG1  
Size: 470\*460\*385MM  
Voltage: 220V  
Power: 0.11KW  
CY: 40L  
DT: W 70°C



## 70L Medium Disinfection Cabinet

Model: CM08ZTP-XG2  
Size: 470\*460\*580MM  
Voltage: 220V  
Power: 0.16KW  
CY: 70L  
DT: W 70°C

## 100L Big Disinfection Cabinet

Model: CM08ZTP-XG3  
Size: 470\*460\*775MM  
Voltage: 220V  
Power: 0.21KW  
CY: 100L  
DT: W 70°C



# Disinfection: UV+Ozone+Hot Air

多功能消毒柜系列



## One-Door Disinfection Cabinet

Model: CM08ZTPXG1  
Size: 585\*500\*1775MM  
Voltage: 220V  
Power: 0.94KW  
CY: 310L  
DT: W 60°C



## Two-Door Disinfection Cabinet

Model: CM08ZTPXG7  
Size: 1120\*500\*1775MM  
Voltage: 220V  
Power: 1.86KW  
CY: 635L  
DT: W 60°C



专业厨房冷藏冷冻设备

Series

# Refrigeration Equipment



## Commercial refrigeration equipment

商业制冷设备



### Counter top Salad Fridge

Model: CM-JN-TZ1475C-SL  
Size: 1475x395x425mm (Other Sizes Available)  
Capacity: 180L+6\*1/3GN  
Weight: 80Kg  
Power: 320W  
Compressor: Embraco  
Refrigerant: 134A  
Foam layer: 60mm



### Three-in-one Salad Fridge

Model: CM-JN-PZ1500F3  
Size: 1500x800\*1000 mm (Other Sizes Available)  
Capacity: 280L+6\*1/3GN  
Weight: 100Kg Power: 420W  
Compressor: Embraco  
Refrigerant: 134A  
Foam layer: 60mm



### Standing Four Doors Fridge&Freezer

Model: CM-JN-LF100C4  
Size: 1220\*760\*1980mm (Other Sizes Available)  
Capacity: 900L  
Weight: 140Kg  
Fridge Power: 427W  
Freezer Power: 820W  
Compressor: Embraco  
Refrigerant: 134A  
Foam layer: 60mm



### 10 Trays Blast Freezer

Model: CMBDS10P  
Size: 790X900X1640mm (Other Sizes Available)  
Capacity: 300L  
Weight: 120Kg  
Power: 1576W 220V  
Compressor: Taikang  
Temperature: 10~-40 degrees  
Materials: In and Out 304ss

# Commercial refrigeration equipment

## 商业制冷设备



### Luxury Meat Ager Cabinet

Model: CMMZX-1200G  
 Size: 1200\*700\*2100mm  
 (Other Sizes Available)  
 Power: 220V 1280W  
 Capacity: 990L -200-240kg -  
 4 layers\*2  
 Temp.: -2-2°C  
 Compressor: secop  
 Refrigerant: R404a

- \* Automatic Defog Glass
- \* Sterilization UV Lamp
- \* Circulation Humidification box



### Meat Dry Cabinet

Model: CMMDC-NF-1200M2  
 Size: 1220\*830\*2020mm  
 (Other Sizes Available)  
 Power: 220V 1200W  
 Temperature: 10-20degrees  
 Humidity: 30-90%  
 Weight:100Kg



### Meat Ager Cabinet

Model: CMUSF-128S  
 Size: 595\*680\*1615mm  
 (Other Sizes Available)  
 Power: 220V 130W  
 Capacity: 380L -70-100kg -4 layers  
 Temp.: 0-10°C  
 Compressor: Secop  
 Refrigerant: R404a  
 Humidity: 65-85%  
 Wind speed: 1.3-2 m/s



### Standing Two Doors Fridge&Freezer

Model: CM-JN-LF050C2  
 Size: 620\*760\*1980mm  
 (Other Sizes Available)  
 Capacity: 410L  
 Weight: 90Kg  
 Fridge Power: 387W  
 Freezer Power: 535W  
 Compressor: Embraco  
 Refrigerant: 134A  
 Foam layer: 60mm



### Island Fridge

Model: CMQL-FTSBD  
 Size: 1875\*1550\*850mm  
 (Other Sizes Available)  
 Capacity: 870L  
 Power: 220V  
 Compressor: Embraco

# Commercial refrigeration equipment

## 商业制冷设备



### Undercounter Fridge&Freezer

Model: CM-JN-WF030C2  
 Size: 1500\*760\*800 mm  
 (Other Sizes Available)  
 Weight: 90Kg  
 Fridge Power: 270W  
 Freezer Power: 350W  
 Compressor: Embraco  
 Refrigerant: 134A  
 Foam layer: 60mm



### Undercounter Wine Fridge

Model: CM-JN-BF10C2-GL  
 Size: 1000\*550\*800 mm  
 (Other Sizes Available)  
 Weight: 80Kg  
 Power: 340W 220V  
 Compressor: Embraco  
 Refrigerant: 134A  
 Foam layer: 60mm



### Standing Ice Cube Machine

Model: CMFPS-500P  
 Size: 760\*850\*1680mm  
 (Other Sizes Available)  
 Ice Capacity: 300kg  
 Power: 1240W 220V  
 Refrigerant: R404A  
 Ice Storage: 150Kg  
 Compressor: Secop



### Ice Cube Machine

Model: CMFPS-175P  
 Size: 660\*675\*960mm  
 (Other Sizes Available)  
 Power: 750W 220V  
 Ice Capacity: 120kg  
 Refrigerant: R134A  
 Ice Storage: 41Kg  
 Compressor: Secop



### Desktop Soft Ice Cream Machine

Model: CMZM-A168  
 Size: 530\*400\*760mm  
 (Other Capacity Available)  
 Capacity: 18L/H  
 Power: 1200W 220V  
 Compress: Panasonic  
 Weight: 56Kg



### Cake Display Fridge

Model: CMLZ-15  
 Size: 1500\*700\*1200mm  
 (Other Design Available)  
 Temperature: 2-8degrees  
 Compressor: Dongbei  
 Three layers